



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

Fax Cover Sheet

Date: 28 Aug 2002

To: M.ROBERT KESTENBAUM	From: Rodney E Fuller
Application/Control Number: 09/261,080	Art Unit: 2851
Fax No.: 505-323-0865	Phone No.: 703-306-5641
Voice No.: 505-323-0771	Return Fax No.: 703-305-3431
Re: 09/261,080	CC:
<input type="checkbox"/> Urgent <input type="checkbox"/> For Review <input type="checkbox"/> For Comment <input type="checkbox"/> For Reply <input type="checkbox"/> Per Your Request	

Comments:

Attached is a copy of the Advisory Action, mailed August 26, 2002,

R. Fuller

Number of pages 4 including this page

STATEMENT OF CONFIDENTIALITY

This facsimile transmission is an Official U.S. Government document which may contain information which is privileged and confidential. It is intended only for use of the recipient named above. If you are not the intended recipient, any dissemination, distribution or copying of this document is strictly prohibited. If this document is received in error, you are requested to immediately notify the sender at the above indicated telephone number and return the entire document in an envelope addressed to:

Assistant Commissioner for Patents
Washington, DC 20231



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/261,080	03/02/1999	KARL-HEINZ SCHUSTER	Z-98005.5.US	7285

7590

08/26/2002

M.ROBERT KESTENBAUM
11011 BERMUDA DUNES NE
ALBUQUERQUE, NM 87111

EXAMINER

FULLER, RODNEY EVAN

ART UNIT

PAPER NUMBER

2851

DATE MAILED: 08/26/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action	Application No. 09/261,080	Applicant(s) SCHUSTER ET AL.	
	Examiner Rodney E Fuller	Art Unit 2851	

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 16 July 2002 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 6 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☒ A Notice of Appeal was filed on 05 June 2002. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
 - (b) ☐ they raise the issue of new matter (see Note below);
 - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☐ Applicant's reply has overcome the following rejection(s): _____
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for reconsideration has been considered but does NOT place the application in condition for allowance because: _____
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____

Claim(s) objected to: _____

Claim(s) rejected: 1, 2, 4, 5, 7-11 and 13-19.

Claim(s) withdrawn from consideration: _____

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____
10. ☐ Other: _____

ADVISORY ACTION

Remarks

1. The applicant amended claim 15 to state: "A pellicle consisting of fluoride crystal." The amended claim would be rejected by Kubota (US 5,370,951) since Kubota (US 5,370,951) discloses (column 8, lines 20-22) a "...pellicle membrane is provided on the surface with a low-reflectance coating film of magnesium fluoride." In the event that the claim is made "only" of fluoride crystal, the claim would still be rejected. A pellicle is a thin diaphragm used for the protection of a mask structure. Therefore, any thin layer or plate made of fluoride crystal would read on claim 15.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney Fuller whose telephone number is (703) 306-5641. The examiner can normally be reached on Monday through Friday from 8:00 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russ Adams, can be reached on (703) 308-2847.

Rodney Fuller
Primary Examiner

A handwritten signature in black ink, appearing to read 'Rodney Fuller', is written over the printed name and title.

August 23, 2002

*** TX REPORT ***

TRANSMISSION OK

TX/RX NO	2440	
CONNECTION TEL		915053230865
SUBADDRESS		
CONNECTION ID	M ROBERT KESTENB	
ST. TIME	08/28 09:16	
USAGE T	01'37	
PGS.	4	
RESULT	OK	